




# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com

## D2000 NARROW STILE DOOR KD STANDARD DOOR ISOMETRIC VIEW



ITEM	DESCRIPTION
1	4001 VERTICAL STILE
2	4021 TOP RAIL
3	4024 BOTTOM RAIL
4	4093 DOOR CLIP
5	Ø $\frac{3}{8}$ " TIE ROD
6	4051 GLAZING BEAD $\frac{1}{4}$ "
7	BACK-UP PLATE
8	BUTT HINGES 4 $\frac{1}{2}$ "X4" NRP
9	10" OFFSET PULL HANDLE
10	STANDARD PUSH BAR
11	FINISH WASHER
12	DEADBOLT LOCK
13	STANDARD CYLINDER




# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

[www.Sell-Mar.com](http://www.Sell-Mar.com) & [Estimating@Sell-Mar.com](mailto:Estimating@Sell-Mar.com)


D2000 NARROW STILE DOOR  
KD STANDARD NARROW STILE DOOR (ASSEMBLED NOT WELDED)  
KD2000 OFFSET BUTT HINGES DOOR ONLY



- Clear anodized or dark bronze anodized
- Narrow stile door (Vertical stiles  $2\frac{1}{8}$ " – top rail  $2\frac{1}{8}$ " – bottom rail 4").
- Two butt hinges  $4\frac{1}{2}$ "x4" NRP per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- No glass prep for  $\frac{1}{4}$ " glazing.

TYPE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	36"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "
Single	42"W X 84"H	$41\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$37\frac{3}{16}$ " X $76\frac{11}{16}$ "
Pair	72"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "






# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com

D2000 NARROW STILE DOOR  
 STANDARD NARROW STILE DOOR (ASSEMBLED & WELDED)  
 D2000 OFFSET BUTT HINGES DOOR ONLY



- Clear anodized, dark bronze anodized & white painted
- Narrow stile door (Vertical stiles 2 $\frac{1}{8}$ " – top rail 2 $\frac{1}{8}$ " – bottom rail 4").
- Two butt hinges 4 $\frac{1}{2}$ "x4" NRP per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- $\frac{3}{16}$ " Clear tempered door lite
- No door closer.

TYPE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	36"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Single	42"W X 84"H	41 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	37 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Pair	72"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "





# SELL-MAR ENTERPRISE, Inc.


Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com

## STANDARD DOOR & FRAME (ASSEMBLED & WELDED)


### D2000 NARROW STILE OFFSET BUTT HINGES DOOR & 1 $\frac{3}{4}$ " X 4 $\frac{1}{2}$ " OPEN BACK FRAME



- Clear anodized, dark bronze anodized & white painted
- Frame 1 $\frac{3}{4}$ " x 4 $\frac{1}{2}$ " open back
- Narrow stile door (Vertical stiles 2 $\frac{1}{8}$ " – top rail 2 $\frac{1}{8}$ " – bottom rail 4").
- Two butt hinges 4 $\frac{1}{2}$ "x4" NRP per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- 3 $\frac{3}{16}$ " clear tempered door lite.

TYPE	FRAME SIZE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	39 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	36"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Single	45 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	42"W X 84"H	41 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	37 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Pair	75 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	72"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "





# SELL-MAR ENTERPRISE, Inc.


Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

[www.Sell-Mar.com](http://www.Sell-Mar.com) & [Estimating@Sell-Mar.com](mailto:Estimating@Sell-Mar.com)


---

## STANDARD DOOR & FRAME (ASSEMBLED & WELDED) D2000 NARROW STILE DOOR & $1\frac{3}{4}$ "X $4\frac{1}{2}$ " OPEN BACK FRAME WITH TRANSOM



- Clear anodized, dark bronze anodized & white painted
- Transom frame  $1\frac{3}{4}$ " x  $4\frac{1}{2}$ " open back
- Narrow stile door (Vertical stiles  $2\frac{1}{8}$ " – top rail  $2\frac{1}{8}$ " – bottom rail 4").
- Two butt hinges  $4\frac{1}{2}$ "x4" NRP per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- $\frac{3}{16}$ " clear tempered door lite.

TYPE	FRAME SIZE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	$39\frac{1}{2}$ "W X 120"H	36"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "
Single	$45\frac{1}{2}$ "W X 120"H	42"W X 84"H	$41\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$37\frac{3}{16}$ " X $76\frac{11}{16}$ "
Pair	$75\frac{1}{2}$ "W X 120"H	72"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "




# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com


## D2000 NARROW STILE DOOR STANDARD NARROW STILE DOOR (ASSEMBLED & WELDED) KD2000 OFFSET PIVOTS DOOR ONLY



- Clear anodized, dark bronze anodized & white painted.
- Narrow stile door (Vertical stiles  $2\frac{1}{8}$ " – top rail  $2\frac{1}{8}$ " – bottom rail 4").
- Two offset pivots per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- $\frac{3}{16}$ " clear tempered door lite.

TYPE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	36"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "
Single	42"W X 84"H	$41\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$37\frac{3}{16}$ " X $76\frac{11}{16}$ "
Pair	72"W X 84"H	$35\frac{13}{16}$ "W X $83\frac{1}{4}$ "H	$31\frac{3}{16}$ " X $76\frac{11}{16}$ "





# SELL-MAR ENTERPRISE, Inc.



Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com

## STANDARD DOOR & FRAME (ASSEMBLED & WELDED)


### D2000 NARROW STILE OFFSET BUTT HINGES DOOR & 1 $\frac{3}{4}$ " X 4 $\frac{1}{2}$ " OPEN BACK FRAME



- Clear anodized, dark bronze anodized & white painted.
- Frame 1 $\frac{3}{4}$ " x 4 $\frac{1}{2}$ " open back
- Narrow stile door (Vertical stiles 2 $\frac{1}{8}$ " – top rail 2 $\frac{1}{8}$ " – bottom rail 4").
- Two offset pivots per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- 3 $\frac{3}{16}$ " clear tempered door lite.

TYPE	FRAME SIZE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	39 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	36"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Single	45 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	42"W X 84"H	41 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	37 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Pair	75 $\frac{1}{2}$ "W X 85 $\frac{3}{4}$ "H	72"W x 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "






# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com


## STANDARD DOOR & FRAME (ASSEMBLED & WELDED) D2000 NARROW STILE DOOR & 1 $\frac{3}{4}$ "X4 $\frac{1}{2}$ " OPEN BACK FRAME WITH TRANSOM



- Clear anodized, dark bronze anodized & white painted
- Transom frame 1 $\frac{3}{4}$ " x 4 $\frac{1}{2}$ " open back
- Narrow stile door (Vertical stiles 2 $\frac{1}{8}$ " – top rail 2 $\frac{1}{8}$ " – bottom rail 4").
- Two offset pivots per leaf.
- Ms deadbolt lock with standard cylinder inside & outside.
- 10" offset pull handle with push bar.
- No door closer.
- $\frac{3}{16}$ " clear tempered door lite.

TYPE	FRAME SIZE	OPENING SIZE	DOOR SIZE	GLASS SIZE
Single	39 $\frac{1}{2}$ "W X 120"H	36"W X 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Single	45 $\frac{1}{2}$ "W X 120"H	42"W X 84"H	41 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	37 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "
Pair	75 $\frac{1}{2}$ "W X 120"H	72"W x 84"H	35 $\frac{13}{16}$ "W X 83 $\frac{1}{4}$ "H	31 $\frac{3}{16}$ " X 76 $\frac{11}{16}$ "







# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466


[www.Sell-Mar.com](http://www.Sell-Mar.com) & [Estimating@Sell-Mar.com](mailto:Estimating@Sell-Mar.com)

## CUSTOM DOOR & FRAME (ASSEMBLED & WELDED) OFFSET HUNG & CENTER HUNG DOOR & 1 $\frac{3}{4}$ " X 4 $\frac{1}{2}$ "





- Clear anodized, dark bronze anodized & white painted.
- Frame 1 $\frac{3}{4}$ " x 4 $\frac{1}{2}$ " Plain tube
- Narrow stile door (Vertical stiles 2" – top rail 3 $\frac{1}{2}$ " – bottom rail 4").
- Center hung end load (Top arm assembly – floor mounted bottom pivot set)
- Concealed over head door closer (specify 90° or 105° HO or NHO)
- Ms Hook bolt lock with standard cylinder inside & outside.
- 10" offset pull handle back to back
- Glazing bead for  $\frac{3}{16}$ ",  $\frac{1}{4}$ ",  $\frac{3}{8}$ ",  $\frac{1}{2}$ ",  $\frac{7}{8}$ " & 1"

center hung – c.o.c.



offset hung – c.x.c





# SELL-MAR ENTERPRISE, Inc.

Architectural Metal, Glass, Storefront, Acrylic and Door Hardware Supplier

Phone: (718) 299-8484 Fax: (718) 299-5466

www.Sell-Mar.com & Estimating@Sell-Mar.com

## FRAME UNIT FOR CENTER-HUNG DOOR WITH OVERHEAD CONCEALED DOOR CLOSER 1 3/4" X 4 1/2" PLAIN TUBE + SASH MOLDINGS

